

PROTECTION COVERS

POLE MOUNTED COVERS

HOT DIPPED GALVANISED AS PER AS/NZS4680-1999



DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	P/NO
25 25 900	1.4 kgs	10	PM25
32 32 900	1.7	12	PM32
38 38 900	2.0	12	PM38
50 50 900	2.3	10	PM50
75 75 900	3.5	6	PM75
75 100 900	4.0	4	PM75100
75 150 900	4.4	4	PM75150
100 100 900	4.4	3	PM100
100 150 900	5.3		PM100150
150 150 900	6.3		PM150
200 200 900	7.8		PM200



SURFACE MOUNTED COVER

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

25 25 1200	2.0 kgs	8	SM25
32 32 1200	2.2	12	SM32
38 38 1200	2.5	8	SM38
50 50 1200	3.2	6	SM50
50 100 1200	4.2	4	SM50/100
75 75 1200	4.2	5	SM75
75 150 1200	5.9	4	SM75/150
100 100 1200	5.9	3	SM100
100 150 1200	7.5		SM100/150
150 150 1200	8.3		SM150
150 300 1200	10.6		SM150300
200 200 1200	10.6		SM200

CABLE STRIP

12x2440	1.0Kgs	10	CS2.5
---------	--------	----	--------------



POLE MOWER GUARD GALVANISED



38 38 300	0.348Kg	50	PMG38
50 50 300	0.458	40	PMG50
75 75 300	0.687	25	PMG75

HOUSE RAISER BRACKETS

ALL SCREWS AND BOLTS FOR FUSE BOX AND MOUNTING SUPPLIED WITH BRACKET

THROUGH TILE- RAFTER MOUNT

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION	WEIGHT Kgs	BOX QTY	P/NO
 <p>500mm single phase hook type mounting through the tile rated at 1 kN</p>	3.1Kgs	5	#2H
 <p>840mm single phase clamp mounting bracket rated at 1kN</p>	5.1Kgs		#6
 <p>1.5m single phase with ladder rest & support stay - rafter clamp mounting bracket rated at 1kN</p>	13.3Kgs		#6A
 <p>2m single phase with ladder rest & support stay - rafter clamp mounting bracket rated at 1kN</p>	14.5Kgs		#6B
 <p>500mm three phase clamp mounting bracket rated at 2kN</p>	3.3Kgs		#3/3
 <p>500mm single phase clamp mounting bracket rated at 2kN</p>	4.1Kgs		#3

HOUSE RAISER BRACKETS

ALL SCREWS AND BOLTS FOR FUSE BOX AND MOUNTING SUPPLIED WITH BRACKET

THROUGH TILE- RAFTER MOUNT

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION	WEIGHT Kgs	BOX QTY	P/NO
-------------	---------------	------------	------



840mm single phase hook type mounting rated at 2 kN	6.6Kgs		#9
---	--------	--	-----------



840mm three phase clamp mounting bracket rated at 2kN	7.4Kgs		#9/3
---	--------	--	-------------



1.5m three phase with ladder rest & support stay - rafter clamp mounting bracket rated at 2kN			#9/3A
---	--	--	--------------

2m three phase with ladder rest & support stay - rafter clamp mounting bracket rated at 2kN			#9/3B
---	--	--	--------------



STRAIGHT, WALL MOUNT

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

915mm single phase wall mounting	3.9Kgs		#8
-------------------------------------	--------	--	-----------



1.5m single phase with ladder rest & support stay - wall mounting bracket rated at 1kN	10.3Kgs		#8A
--	---------	--	------------

2.0m three phase with ladder rest & support stay - wall mounting bracket rated at 1kN			#8B
---	--	--	------------



HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION	WEIGHT Kgs	BOX QTY	P/NO
-------------	---------------	------------	------

915mm three phase wall mounting bracket rated at 2kN	6.8Kgs		#8/3
--	--------	--	-------------



1.5m three phase with ladder rest
& support stay - wall mounting
bracket rated at 2kN

#8/3A

2m three phase with ladder rest
& support stay - wall mounting
bracket rated at 2kN

#8/3B



UNDER EAVE MOUNT

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

	WEIGHT	BOX	P/NO
	Kgs	QTY	
840mm single phase			
under eave type mounting	5.5Kgs		#13
rated at 1 kN			

FACIA MOUNT

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION	WEIGHT Kgs	BOX QTY	P/NO
840mm single phase with stay wire kit & bolts. Rated at 1 kN	5.5Kgs		#4
1100mm single phase with stay wire kit & bolts. Rated at 1 kN	6.5Kgs		#4Q



1.5m single phase with ladder rest & support stay - fascia mounting bracket rated at 1kN	7.4Kgs		#4A
2m - single phase with ladder rest & support stay - fascia mounting bracket rated at 1kN	9Kgs		#4B



Facia type mounting 840mm high three phase with 2 x stay wire kits & bolts. Rated at 2 kN	8.7Kgs		#5/3
--	--------	--	-------------



1.5m three phase with ladder rest & support stay - fascia mounting bracket rated at 2kN			#5/3A
---	--	--	--------------

2m three phase with ladder rest & support stay - fascia mounting bracket rated at 2kN			#5/3B
---	--	--	--------------

HOOK BRACKETS

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION	WEIGHT Kgs	BOX QTY	P/NO
Plate size 40x100mm horizontal type mounting bracket with 2 coach screws	.25Kgs	10	#10






Plate size 200x40mm
vertical type mounting
bracket with 2 coach screws

.45Kgs 10.000 **#11**



65x310mm
rafter type mounting
bracket with 4 coach screws

1.35Kgs 10.000 **#1**

MARSHALL BRACKETS

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999



Plate size 190x75mm
Bent 45 deg single phase
bracket with 2 coach screws
& 2x3/16ww for fuse box
Entry hole is 40mm dia

0.6Kgs 10 **#15**



Plate size 190x75mm
Bent 45 deg single phase
bracket with 2 coach screws
& 2x3/16ww for fuse box
Entry hole is 40mm dia

.45Kgs 10.000 **#15/3**

POLE BRACKETS



HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION	WEIGHT Kgs	BOX QTY	P/NO
Single phase stand off bracket bracket with 4 coach screws & 2x3/16ww screws & nuts for fuse box	1.55Kgs	12	#16



Mount size 200x485mm Three phase stand off bracket bracket with 4 coach screws & 2x3/16ww screws & nuts for fuse box	2.35Kgs	10	#16/3
--	---------	----	--------------



Plate size 230x230mm Three phase stand off bracket bracket with 2 coach screws & 6x3/16ww screws & nuts for fuse box	1.55Kgs	4	#90B
--	---------	---	-------------

Plate size 230x230mm Three phase plate only	1.55Kgs		#90
--	---------	--	------------


ACCESSORIES



Stay wire kit with 2m long 3mm dia S/S wire, 2 cable clamps & 1 eye bolt	0.20	10	#17
Also available in 3m length	0.25	5.000	#17A

STREET LIGHT BRACKETS


HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999



WEIGHT Kgs	BOX QTY	P/NO
---------------	------------	------

NB25 pipe x300mm lg surface
mount bracket with 4 coach screws
M16x1.5 bottom entry
or rear entry

1.2Kgs	10	#7/12-4
--------	----	----------------



NB25x100mm long surface
mount bracket with 2
bolts

.55Kgs	5	LB100
--------	---	--------------



NB25x300mm long Corner mount
bracket with 4 coach screws
M16x1.5 bottom entry
or rear entry

1.2Kgs	10	#7A/12
--------	----	---------------

UNDER GROUND CABLE ENTRY COVER

25mm heavy duty



galvanised steel pipe
700mm long, bent 30
degrees with orange
plastic conduit inside

1.95Kgs	5	UCE25/7
---------	---	----------------

32mm " "

2.55Kgs	5	UCE32/7
---------	---	----------------

40mm " "

	5	UCE40/7
--	---	----------------


50mm " "

	5	UCE50/7
--	---	----------------



Temporary Power Supply 40NB
galvanised steel PIPE 1.3m Lg

4.6Kgs	5	TPS1.3
--------	---	---------------



POWER SWITCH POST

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999


DESCRIPTION	WEIGHT Kgs ea	BOX QTY	P/NO
-------------	------------------	------------	------

38x38mm Post for power
to an outside location
Calbe concealed inside post
For use with switch and outlet

Clipsal WSC227/1 4 nut & bolts supplied	1.69kgs	10	TN1
--	---------	----	------------

50x50mm Post for power
to an outside location
Calbe concealed inside post

For use with switch and outlet Clipsal 56 series 4 nut & bolts supplied outlet	2.34Kgs	5	TN2
---	---------	---	------------



CABLE REEL HOLDER

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

Heavy duty cable reel
holder, galvanised, for
easy onsite assembly
Rated at 200kg

	4.000	CRS1
--	-------	-------------



TV Antenna Post 1m high HOT DIPPED GALVANISED with mounting Bolts	10	TV1.0
---	----	--------------

TV Antenna Post 1m high HOT DIPPED GALVANISED with mounting Bolts	10	TV1.6
---	----	--------------

DESCRIPTION	WEIGHT Kgs ea	BOX QTY	P/NO
-------------	------------------	------------	------



PLASTER BRACKET

Plaster bracket galvanised	0.026kgs	25	OB121
CARTON QTY		500	
PALLET QTY		10000	




STUD BRACKETS


Right angle switch bracket with loose nails supplied	0.062Kgs	25	0M157



Right angle switch bracket with nails	0.066Kgs	25	OB5
CARTON QTY		200	
PALLET QTY		6400	



Flat Plaster Bracket with sliding nuts	0.106Kgs	25	FPB155
CARTON QTY		200	
PALLET QTY		7200	



Right angle switch bracket with nails	0.066Kgs	25	OB7
CARTON QTY		200	
PALLET QTY		6400	